


AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all prior listings of claims presented in the application.

1. (Currently amended) A compound of formula (I),



(I)

and its tautomeric forms, its stereoisomers, and its pharmaceutically acceptable salts,

wherein R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈, R₉, R₁₀, R₁₁ and R₁₂ may be the same or different and each independently represent hydrogen, halogen, perhaloalkyl, hydroxy, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups such as selected from the group consisting of linear or branched (C₁-C₁₂)alkyl, (C₂-C₁₂)alkenyl, (C₂-C₁₂)alkynyl, (C₃-C₇)cycloalkyl, (C₃-C₇)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C₁-C₁₂)alkoxy, cyclo(C₃-C₇)alkoxy, aryl, aryloxy, aralkyl, aralkoxy, heterocyclyl, heteroaryl, heterocyclylalkyl, heteroaralkyl, heteroaryloxy, heteroaralkoxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, diarylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxycarbonyl, hydroxyalkyl, aminoalkyl,

monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, alkylthio, thioalkyl, alkoxy-carbonylamino, aryloxy-carbonylamino, aralkyloxy-carbonylamino, aminocarbonylamino, alkylaminocarbonylamino, dialkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, and hydroxylamino; or the adjacent groups like R₁ and R₂ or R₂ and R₃ or R₃ and R₄ or R₅ and R₆ or R₆ and R₇ or R₇ and R₈ together with carbon atoms to which they are attached may form a 5, 6, or 7 membered ring, which may further optionally contain one or more double bonds and/or one or more heteroatoms ~~such as~~ selected from the group consisting of the group "Oxygen", "Nitrogen", "Sulfur" ~~or and~~ and "Selenium" ~~and combinations of double bond and heteroatoms~~; or R₉ and R₁₀ or R₁₁ and R₁₂ together represent double bond attached to "Oxygen" or "Sulfur"; or R₉ and R₁₀ or R₁₁ and R₁₂ together with the carbon atoms to which they are attached may form a 3, 4, 5, or 6 membered ring, which may further optionally contain one or more double bonds, and/or one or more heteroatoms ~~such as~~ selected from the group consisting of the group "Oxygen", "Nitrogen", "Sulfur" ~~or and~~ and "Selenium," ~~as above defined~~;

R₁₃ and R₁₄ may be the same or different and each independently represents hydrogen, substituted or unsubstituted groups ~~such as~~ selected from the group consisting of linear or branched (C₁-C₁₂)alkyl, (C₂-C₁₂)alkenyl, (C₂-C₁₂)alkynyl, (C₂-C₁₂)alkanoyl (C₃-C₇)cycloalkyl, (C₃-C₇)cycloalkenyl, bicycloalkyl, bicycloalkenyl, aryl, aralkyl, heteroaryl, ~~or and~~ heterocyclylalkyl; or R₁₃ and R₁₄ along with the nitrogen atom, may form a 3, 4, 5, 6 or 7-membered heterocyclic ring, wherein the ring may be further substituted, and it may have either one, two or three double bonds or "additional heteroatoms", ~~as defined above~~; and

"n" is an integer ranging from 1 to 8;_±

2. (Currently amended) A compound according to Claim 1, which is selected from the group consisting of:

6-(2-N,N-Dimethylaminoethyl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Bromo-6-(2-N,N-dimethylaminoethyl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Chloro-6-(2-N,N-dimethylaminoethyl)-benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-Dimethylaminoethyl)-4-fluorobenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-Dimethylaminoethyl)-4-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-Dimethylaminoethyl)-4-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide
hydrochloride salt;

6-(2-N,N-Dimethylaminoethyl)-4-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide
maleate

salt;

6-(2-N,N-Dimethylaminoethyl)-4-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide
D,L-malic acid salt;

6-(2-N,N-Dimethylaminoethyl)-4-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide
oxalate salt;

6-(2-N,N-Dimethylaminoethyl)-4-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide
citrate salt;

6-(2-N,N-Dimethylaminoethyl)-4-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-Dimethylaminoethyl)-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Bromo-6-(2-N,N-dimethylaminoethyl)-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-
dioxide;

4-Chloro-6-(2-N,N-dimethylaminoethyl)-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-
dioxide;

6-(2-N,N-Dimethylaminoethyl)-4-fluoro-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-
dioxide;

6-(2-N,N-Dimethylaminoethyl)-4-methyl-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-Dimethylaminoethyl)-4,8-dimethoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-Dimethylaminoethyl)-2-ethylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

2-Chloro-6-(2-N,N-dimethylaminoethyl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

2,4-Dichloro-6-(2-N,N-dimethylaminoethyl)-benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

2,3-Dichloro-6-(2-N,N-dimethylaminoethyl)-benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

5-Chloro-6-(2-N,N-dimethylaminoethyl)-2-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

2,4,5-Trichloro-6-(2-N,N-dimethylaminoethyl)-benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-Dimethylaminoethyl)-2,4-difluorobenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-dimethylaminoethyl)-4-fluoro-8-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

2,4-Difluoro-6-(2-N,N-dimethylaminoethyl)-8-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-Dimethylaminoethyl)-2-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-Dimethylaminoethyl)-2,8-dimethoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-N,N-Dimethylaminoethyl)-8-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(3-N,N-Dimethylamino-1-hydroxyprop-1-yl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Bromo-6-(3-N,N-Dimethylamino-1-hydroxyprop-1-yl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(3-N,N-Dimethylamino-1-hydroxyprop-1-yl)-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(3-N,N-Dimethylamino-1-hydroxyprop-1-yl)-8-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Bromo-6-(3-N,N-dimethylamino-1-hydroxyprop-1-yl)-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-[2-(4-Methylpiperazin-1-yl)ethyl]benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-[2-Morpholin-4-ylethyl]benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-Pyrrolidin-1-ylethyl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-Piperidin-1-yl)ethyl]benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Bromo-6-[2-morpholin-4-ylethyl]benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Bromo-6-(2-pyrrolidin-1-ylethyl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Bromo-6-[2-(4-methylpiperazin-1-yl)ethyl]benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(3-(Piperidin-1-yl)-1-hydroxyprop-1-yl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(3-(Piperidin-1-yl)-1-hydroxyprop-1-yl)-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Bromo-6-(3-(piperidin-1-yl)-1-hydroxyprop-1-yl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Bromo-6-(3-(piperidin-1-yl)-1-hydroxyprop-1-yl)-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(3-(Pyrrolidin-1-yl)-1-hydroxyprop-1-yl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(3-(Pyrrolidin-1-yl)-1-hydroxyprop-1-yl)-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-(N,N-Diethylamino)-2-methylethyl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-(N,N-Dimethylamino-1-hydroxy-1-yl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Bromo-6-(2-(N,N-Dimethylamino-1-hydroxy-1-yl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-(N,N-Dimethylaminoethyl)-2,4-difluoro-8-methoxybenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

6-(2-(N,N-Dimethylamino-2-methylethyl)benzo[d]isothiazolo[3,2-a]indol-S,S-dioxide;

4-Chloro-6-(2-(N,N-Dimethylaminoethyl)-8-methylbenzo[d]isothiazolo[3,2-a]indol-S,S-dioxide; and

8-(2-(N,N-Dimethylaminoethyl)benzo[d]isothiazolo[3,2-a]benzo(g)indol-S,S-dioxide,

or its stereoisomers, its N-oxides, ~~and~~ or its pharmaceutically acceptable salts.


3. (Currently amended) A pharmaceutical composition comprising either of a pharmaceutically acceptable carrier, diluent/s, excipient/s or solvents along with a therapeutically

effective amount of a compound according to Claim 1, its tautomeric forms, its stereoisomers, its geometric forms, its N-oxides, and or its pharmaceutically acceptable salts.

4. (Currently Amended) A pharmaceutical composition according to Claim 3, in the form of a tablet, capsule, powder, lozenges, suppositories, syrup, solution, suspension or injectable, administered ~~in~~ as a single dose or multiple dose units.

5-25. (Canceled)

26. (Currently amended) ~~Novel intermediates~~ Intermediates of formula (III) are represented as given below,



(III)

wherein R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈, R₉, R₁₀, R₁₁ and R₁₂ may be the same or different and each independently represent hydrogen, halogen, perhaloalkyl, hydroxy, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups such as selected from the group consisting of linear or branched (C₁-C₁₂)alkyl, (C₂-C₁₂)alkenyl, (C₂-C₁₂)alkynyl, (C₃-C₇)cycloalkyl, (C₃-C₇)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C₁-C₁₂)alkoxy, cyclo(C₃-C₇)alkoxy, aryl, aryloxy, aralkyl, aralkoxy, heterocyclyl, heteroaryl, heterocyclylalkyl, heteroaralkyl, heteroaryloxy, heteroaralkoxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, diarylamino, aralkylamino, alkoxycarbonyl, aryloxy carbonyl, aralkoxy carbonyl, heterocyclylalkoxy carbonyl, heteroaryloxy carbonyl, hydroxyalkyl, aminoalkyl,

monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, alkylthio, thioalkyl, alkoxycarbonylamino, aryloxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, dialkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, and hydroxylamino; or the adjacent groups like R₁ and R₂ or R₂ and R₃ or R₃ and R₄ or R₅ and R₆ or R₆ and R₇ or R₇ and R₈ together with carbon atoms to which they are attached may form a 5, 6, or 7 membered ring, which may further optionally contain one or more double bonds and/or one or more heteroatoms ~~such as~~ selected from the group consisting of the group "Oxygen", "Nitrogen", "Sulfur" or "Selenium" and combinations of double bond and heteroatoms; or R₉ and R₁₀ or R₁₁ and R₁₂ together represent double bond attached to "Oxygen" or "Sulfur"; or R₉ and R₁₀ or R₁₁ and R₁₂ together with the carbon atoms to which they are attached may form a 3, 4, 5, or 6 membered ring, which may further optionally contain one or more double bonds, and/or one or more heteroatoms ~~such as~~ selected from the group consisting of the group "Oxygen", "Nitrogen", "Sulfur" ~~or and~~ "Selenium", ~~as above defined~~;

"n" is an integer ranging from 1 to 8.

27-29. (Canceled)

30. (Previously presented) The compound of claim 1, wherein n is 1 to 4.

31. (Currently amended) The ~~novel~~ intermediates of claim 26, wherein n is 1 to 4.